



#### Product features:

- Stylish Brushed Brass finish
- Custom designed for lower range pressures
- Traditional European styling
- Durable compression valve design
- Metal construction throughout

#### Packaged properties:


Box length (mm): 290      Box depth(mm): 145  
Box width(mm): 235      Boxed weight (Kg): 1.43

Includes pop up waste?: No

#### Additional comments:

Ceramic indicies

#### Product dimensions:




• Product mounted where: Surface  
• Recommended hole size: 35 mm

• Overall Height / projection: 106 mm  
• Exit reach: 119 mm  
• Exit height: 66 mm  
• Base size: 51 mm

• Inlet centre distance(s): N/A mm

• Min. fitting depth required: 40 mm  
• Max. surface depth: 0

#### Product flow characteristics:



• Min / Max water pressure (bar): 0.15\* / 5

\*Detailed minimum pressure requirements for this product: Bath n/a, Shower n/a (bar)

• Part G max. mixed flow rate at 3 bar (l/m): 31.30

• Inlet connection type / length: Flexible / 360 mm  
• Inlet (plumbing connection) / outlet size: 1/2" F / M10

• Product flow characteristics: Single flow  
Non return valve(s) supplied or position: no

• Aerator type: Flow straightener

• Control valve type: 1/2" compression (7.5 x 20)  
• Includes output diverter?: N/A

• Inlet meshed particle filters included: N/A  
• Shower hose type / length: N/a / n/a

#### Warranty Summary (full details available on request):

- Materials and workmanship defects warranted for 5 years
- Valves and working parts warranted for 5 years
- Surface warranty defects warranted for 1 year
- O-rings, hoses & gaskets warranted for 1 year

#### Care instructions:

- Clean the mixers and showers regularly as required, using soap, do not use any other cleaners.
- Regular cleaning will prevent the build-up of lime scale and dirt
- After cleaning rinse thoroughly with clean water to remove any cleaner residue
- Residues of liquid soaps, shampoos and shower foams can also cause damage, so rinse with clean water after using, avoid contact with any abrasives